


Audible Signalling



Series A

the Mighty



ARGUMENT

- cubic design very popular sounder range in 3 main sizes
- 8, 32 or 63 tones selectable depending on model
- up to 3 tones externally switchable
- primarily for wall mount applications
- for indoor and outdoor applications (IP66)
- combinable sounder/beacon and beacon/sounder assemblies (series A/Q)

PRODUCTS

ASS-P / ASS-T	multi-tone alarm sounders, max. 103/108 dB
ASM	multi-tone alarm sounders, max. 113 dB
ASL	multi-tone alarm sounders, max. 120 dB

INDUSTRY/APPLICATION

- for industrial and general applications in practically all industries
- for indoor and outdoor applications (IP66)
- electrical wholesale
- customized models for crane and other applications

Series T

PRODUCTS

TDE	piezo buzzer with high IP rating
-----	----------------------------------

ARGUMENT

- Ø 75mm mid-size piezo buzzer with max. 100 dB sound pressure
- continuous and pulsing tones externally switchable
- very high IP66 rating even for difficult outdoor applications
- wide range of mounting options
- can be combined with any T-series beacon model

INDUSTRY/APPLICATION

- for industrial and general applications in practically all industries
- electrical wholesale
- door, access and gate applications



the Allrounder

Series M22

PRODUCTS

ESK / ESV	panel mount buzzers Ø 30 mm, max. 65/85 dB (A) in 1m
ESM / ESG	panel mount buzzers Ø 45 and 65 mm, max. 100/105 dB (A) in 1m



ARGUMENT

- IP65 in panel mount condition
- 2 respectively 3 tone types externally switchable
- sound pressure infinitely adjustable (ESM/ESG), even in panel mount condition
- excellent price/performance ratio

INDUSTRY/APPLICATION

- for switch cabinet/panels and enclosures
- for versatile applications in industrial/general applications